


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	4/28/2017	DPD	JAG



- NOTES:
 1. REF. EUROCOPTER T/N: 105-31821W5.
 2. USED WITH RBE105-40001W1.



DART AEROSPACE	
TITLE STAKING TOOL	
DWG NO. RBE105-31821W5	REV 1

MAT'L REAR TREAT FINISH	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125
SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: CLOUGH	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: ANDERSON	USED ON MODEL
QA APPR: LINDSAY	EC145
APPROVED: GILBERT	
SCALE 1:1	DATE 1/20/2016
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-1	2	STAKING TOOL ASSEMBLY			2
	4		-3		STAKING INSERT	4140/4142		3
	1		-5		POSITIONING SCREW	4140/4142		4
	1	B/O	-7		O-RING	BUNA-N	Ø3mm X 30mm I.D. (MCMMASTER-CARR #1174N608)	2
		B/O	-9	1	PISTOL CASE	PLASTIC	RSR GROUP #10137	N/S
	ASSY -1							

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	




-1
STAKING TOOL ASSEMBLY

DART AEROSPACE	
TITLE STAKING TOOL	
DWG NO. RBE105-31821W5-1	REV 1
MAT'L REAT	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
TREAT FINISH	
SPEC	
DRAWN BY: DUERFELDT	
CHECKED: CLOUGH	USED ON MODEL EC145
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 2:3	DATE 1/20/2016
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	



(-5)

POSITIONING SCREW

DART AEROSPACE	
TITLE STAKING TOOL	
DWG NO. RBE105-31821W5-5	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT TREAT RC 50-55	DIMENSIONS ARE IN INCHES
FINISH ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE I SC 2	.XX ± .01 ANGLES ± 5°
DRAWN BY: DUERFELDT	.X ± .1 SURFACES = 125°
CHECKED: CLOUGH	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
SCALE 2:1	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 1/20/2016	USED ON MODEL
SHEET 4 OF 4	EC145